



[cancer.org](https://www.cancer.org) | 1.800.227.2345

About Esophagus Cancer

Get an overview of esophagus cancer and the latest key statistics in the US.

Overview and Types

If you have been diagnosed with esophagus cancer or are worried about it, you likely have a lot of questions. Learning some basics is a good place to start.

- [What Is Cancer of the Esophagus?](#)

Research and Statistics

See the latest estimates for new cases of esophagus cancer and deaths in the US and what research is currently being done.

- [Key Statistics for Esophageal Cancer](#)
- [What's New in Esophageal Cancer Research?](#)

What Is Cancer of the Esophagus?


- [The esophagus](#)
- [Where esophageal cancer starts](#)
- [Types of esophageal cancer](#)

Cancer of the esophagus (also called *esophageal cancer*) starts when cells in the lining of the esophagus begin to grow out of control. Cells in nearly any part of the body can become cancer, and can spread to other areas of the body. To learn more about how cancers start and spread, see [What Is Cancer?](#)¹

To understand esophagus cancer, it helps to know about the normal structure and function of the esophagus.

The esophagus

The esophagus is a hollow, muscular tube that connects the throat to the stomach. It lies behind the trachea (windpipe) and in front of the spine. In adults, the esophagus is usually between 10 and 13 inches (25 to 33 centimeters [cm]) long and is about $\frac{3}{4}$ of an inch (2cm) across at its smallest point.



At the opening of the upper esophagus there is a special ring of muscle (called the *upper esophageal sphincter*) that relaxes to open the esophagus when it senses food or liquid coming toward it.


When you swallow, food and liquids travel through the inside of the esophagus (called the *lumen*) to reach the stomach.

The lower part of the esophagus that connects to the stomach is called the *gastroesophageal (GE) junction*. A special ring of muscle near the GE junction, called

the *lower esophageal sphincter*, controls the movement of food from the esophagus into the stomach. Between meals, it closes to keep the stomach's acid and digestive juices out of the esophagus.

Where esophageal cancer starts

Esophageal cancer can start anywhere along the esophagus. It starts in the inner layer of the esophagus wall (see below), and grows outward through the other layers.



The esophagus wall

The wall of the esophagus has several layers:

Mucosa: This layer lines the inside of the esophagus. It has 3 parts:

- The *epithelium* is the innermost lining of the esophagus and is normally made up of flat, thin cells called *squamous cells*. **This is where most cancers of the esophagus start.**
- The *lamina propria* is a thin layer of connective tissue right under the epithelium.
- The *muscularis mucosa* is a very thin layer of muscle under the lamina propria.

Submucosa: This is a layer of connective tissue just below the mucosa that contains blood vessels and nerves. In some parts of the esophagus, this layer also includes glands that secrete mucus.

Muscularis propria: This is a thick layer of muscle under the submucosa. It contracts in a coordinated way to push food down the esophagus from the throat to the stomach.

Adventitia: This is the outermost layer of the esophagus, and is formed by connective tissue.

Types of esophageal cancer

There are 2 main types of esophageal cancer, based on the type of cell it starts in.

Squamous cell carcinoma

The inner layer of the esophagus (the mucosa) is normally lined with squamous cells. Cancer starting in these cells is called *squamous cell carcinoma*. This type of cancer can occur anywhere along the esophagus, but is most common in the neck region (*cervical esophagus*) and in the upper two-thirds of the chest cavity (*upper and middle thoracic esophagus*). Squamous cell carcinoma used to be the most common type of esophageal cancer in the United States. This has changed over time, and now it makes up less than 30% of esophageal cancers in this country.

Adenocarcinoma

Cancers that start in gland cells (cells that make mucus) are called *adenocarcinomas*. Adenocarcinomas are often found in the lower third of the esophagus (lower thoracic esophagus). In some conditions, such as [Barrett's esophagus](#)², gland cells begin to replace the squamous cells in the lower part of the esophagus, and this

might lead to adenocarcinoma.

Gastroesophageal (GE) junction tumors

Adenocarcinomas that start at the area where the esophagus joins the stomach (the GE junction, which includes about the first 2 inches (5 cm) of the stomach), tend to behave like cancers in the esophagus and are treated like them, as well.

Rare cancers in the esophagus

Other types of cancer can also start in the esophagus, including [lymphomas](#)³, [melanomas](#)⁴, and [sarcomas](#)⁵. But these cancers are rare and are not discussed further here.

Hyperlinks

1. www.cancer.org/cancer/understanding-cancer/what-is-cancer.html
2. www.cancer.org/cancer/types/esophagus-cancer/causes-risks-prevention/risk-factors.html
3. www.cancer.org/cancer/types/lymphoma.html
4. www.cancer.org/cancer/types/melanoma-skin-cancer.html
5. www.cancer.org/cancer/types/soft-tissue-sarcoma.html

References

Howlader N, Noone AM, Krapcho M, Miller D, Brest A, Yu M, Ruhl J, Tatalovich Z, Mariotto A, Lewis DR, Chen HS, Feuer EJ, Cronin KA (eds). SEER Cancer Statistics Review, 1975-2016, National Cancer Institute. Bethesda, MD, https://seer.cancer.gov/csr/1975_2016/, based on November 2018 SEER data submission, posted to the SEER web site, April 2019.

Ku GY and Ilson DH. Chapter 71 – Cancer of the Esophagus. In: Niederhuber JE, Armitage JO, Dorshow JH, Kastan MB, Tepper JE, eds. *Abeloff's Clinical Oncology*. 6th ed. Philadelphia, Pa. Elsevier: 2020.

PDQ® Adult Treatment Editorial Board. PDQ Esophageal Cancer Treatment (Adult). Bethesda, MD: National Cancer Institute. Updated 01/22/2020. Available at: <https://www.cancer.gov/types/esophageal/hp/esophageal-treatment-pdq>. Accessed 01/29/2020. [PMID: 26389338]

Posner MC, Goodman KA, and Ilson DH. Ch 52 - Cancer of the Esophagus. In: DeVita VT, Hellman S, Rosenberg SA, eds. *DeVita, Hellman, and Rosenberg's Cancer: Principles and Practice of Oncology*. 11th ed. Philadelphia, Pa: Lippincott-Williams & Wilkins; 2019.

Last Revised: March 20, 2020

Key Statistics for Esophageal Cancer

The American Cancer Society's estimates for esophageal cancer in the United States for 2024 are:

- About 22,370 new esophageal cancer cases diagnosed (17,690 in men and 4,680 in women)
- About 16,130 deaths from esophageal cancer (12,880 in men and 3,250 in women)

Esophageal cancer is more common among men than among women. The lifetime risk of esophageal cancer in the United States is about 1 in 127 in men and about 1 in 434 in women. (See [Esophageal Cancer Risk Factors](#)¹ to learn about factors that can affect these chances.)

Overall, the rates of esophageal cancer in the United States have been fairly stable for many years, but over the past decade they have been decreasing slightly. It is most common in White people. Adenocarcinoma is the most common type of esophagus cancer among White people, but squamous cell carcinoma is more common in African Americans. American Indian, Alaska Natives, and Hispanics have lower rates of esophageal cancer, followed by Asians and Pacific Islanders.

Esophageal cancer makes up about 1% of all cancers diagnosed in the United States, but it is much more common in other parts of the world, such as Iran, northern China, India, and southern Africa.

For information on survival, see [Survival Rates for Cancer of the Esophagus by Stage](#)².

Visit the [American Cancer Society's Cancer Statistics Center](#)³ for more key statistics.

Hyperlinks

1. www.cancer.org/cancer/types/esophagus-cancer/causes-risks-prevention/risk-factors.html
2. www.cancer.org/cancer/types/esophagus-cancer/detection-diagnosis-staging/survival-rates.html
3. cancerstatisticscenter.cancer.org/

References

American Cancer Society. *Facts & Figures 2024*. American Cancer Society. Atlanta, Ga. 2024.

Howlander N, Noone AM, Krapcho M, Miller D, Brest A, Yu M, Ruhl J, Tatalovich Z, Mariotto A, Lewis DR, Chen HS, Feuer EJ, Cronin KA (eds). SEER Cancer Statistics Review, 1975-2016, National Cancer Institute. Bethesda, MD, https://seer.cancer.gov/csr/1975_2016/, based on November 2018 SEER data submission, posted to the SEER web site, April 2019.

Last Revised: January 19, 2024

What's New in Esophageal Cancer Research?

- [Genetics](#)
- [Tests](#)
- [Treatment](#)

Research into the causes, early detection, and treatment of esophageal cancer is now being done at many medical centers, university hospitals, and other institutions around the world.

Genetics

Researchers have found 4 inherited syndromes that raise the risk of esophageal cancer. They have found specific genes related to 3 of these syndromes, and more research is being done. Researchers hope to find additional genes and to come up with more detailed recommendations for screening to find esophageal cancer early in people at high risk because of these syndromes.

Tests

Endoscopic biopsy

In recent years, a new method called **wide-area transepithelial sampling with computer assisted 3-dimensional analysis (WATS3D)** has been shown to improve detection of pre-cancers, when used in conjunction with the traditional biopsy method. In the traditional biopsy method, forceps are used to take multiple (6-8) biopsy samples, which are placed on slides for the pathologist to examine under the microscope. With WATS3D, a brush is used to collect samples from across a larger area and the cells are interpreted by a computer to form a 3-D picture. This picture is then reviewed by pathologist. Many centers are using this technique. However, more research is needed and studies from larger clinical trials are on-going.

Liquid biopsy

Researchers are studying liquid biopsies for cancer screening, diagnosis, and treatment. Most liquid biopsies are done using a sample of blood, but samples of urine, spinal fluid, or pleural effusions (fluid around the lungs) can also be used. It is much easier to get a sample of blood for testing than to get a sample of the tumor with a needle, and studies have shown that liquid biopsies do contain tumor cells as well as pieces of DNA from the tumor.

Current research is testing esophageal cancer DNA from liquid biopsies to find specific mutations. Researchers are hoping to find out if the gene changes could help doctors choose the best drugs for patients. Studies are also looking at whether the liquid biopsy tumor DNA can help predict how the tumor might respond to certain drugs, or how likely

it might be to come back after treatment.

Imaging tests

Currently, people with esophageal cancer who get chemo or chemoradiation before surgery (neoadjuvant treatment) will have another imaging test after treatment to find out whether the tumor has gotten small enough to do surgery. Researchers are studying if a PET scan can help doctors decide the next step in treatment. For example, should people who were treated with neoadjuvant chemotherapy whose PET scans still show signs of cancer be treated with radiation therapy or a different chemotherapy to try and shrink the cancer more before getting surgery?

Treatment

Chemotherapy

Therapy for Esophagogastric Carcinoma? *Am Soc Clin Oncol Educ Book*. 2018; 38:280-291. doi: 10.1200/EDBK_200785.

Egyud M, Tejani M, Pennathur A, Luketich J, Sridhar P, Yamada E, et al. Detection of Circulating Tumor DNA in Plasma: A Potential Biomarker for Esophageal Adenocarcinoma. *Ann Thorac Surg*. 2019;108(2):343-349.

Matsuoka T, Yashiro M. Precision medicine for gastrointestinal cancer: Recent progress and future perspective. *World J Gastrointest Oncol*. 2020;12(1):1–20.

National Comprehensive Cancer Network (NCCN). NCCN Clinical Practice Guidelines in Oncology: Esophageal and Esophagogastric Junction Cancers. V.4.2019. Accessed at www.nccn.org/professionals/physician_gls/pdf/esophageal.pdf on Jan 23, 2020.

van den Ende T, Smyth E, Hulshof M, van Laarhoven H. Chemotherapy and novel targeted therapies for operable esophageal and gastroesophageal junctional cancer. *Best Pract Res Clin Gastroenterol*. 2018;36-37:45-52. doi: 10.1016/j.bpg.2018.11.005. Epub 2018 Nov 22.

Last Revised: May 31, 2024

Written by

The American Cancer Society medical and editorial content team
(<https://www.cancer.org/cancer/acs-medical-content-and-news-staff.html>)

Our team is made up of doctors and oncology certified nurses with deep knowledge of cancer care as well as editors and translators with extensive experience in medical writing.

American Cancer Society medical information is copyrighted material. For reprint requests, please see our Content Usage Policy (www.cancer.org/about-us/policies/content-usage.html).

cancer.org | 1.800.227.2345