



[cancer.org](https://www.cancer.org) | 1.800.227.2345

About Rhabdomyosarcoma

Get an overview of rhabdomyosarcoma and the latest key statistics in the US.

Overview and Types

If you or your child has been diagnosed with rhabdomyosarcoma or you are worried about it, you likely have a lot of questions. Learning some basics is a good place to start.

- [What Is Rhabdomyosarcoma?](#)

Research and Statistics

See the latest estimates for new cases of rhabdomyosarcoma in the US and what research is currently being done.

- [Key Statistics for Rhabdomyosarcoma](#)
- [What's New in Rhabdomyosarcoma Research?](#)

What Is Rhabdomyosarcoma?

- [Types of rhabdomyosarcoma](#)
- [Rhabdomyosarcoma in adults](#)

Cancer starts when cells in the body begin to grow out of control. Cells in nearly any part of the body can become cancer, and can spread to other areas of the body. To learn more about how cancers start and spread, see [What Is Cancer?](#)¹ For information about the differences between childhood cancers and adult cancers, see [Cancer in Children](#)².

Sarcomas are cancers that develop from connective tissues in the body, such as muscles, fat, bones, the linings of joints, or blood vessels. There are many types of sarcomas.

Rhabdomyosarcoma (RMS) is a type of sarcoma made up of cells that normally develop into skeletal (voluntary) muscles. These are muscles that we control to move parts of our body.

Well before birth, cells called *rhabdomyoblasts* (which will eventually form skeletal muscles) begin to form. These are the cells that can develop into RMS. Because this is a cancer of very early forms of muscle cells, it is much more common in children, although it does sometimes occur in adults.

We might think of our skeletal muscles as being mainly in our arms and legs, but RMS can start nearly anywhere in the body, even in some parts of the body that don't normally have skeletal muscle.

Common sites of RMS include:

- The head and neck (such as near the eye, inside the nasal sinuses or throat, or near the spine in the neck)
- Urinary and reproductive organs (bladder, prostate gland, or any of the female organs)
- Arms and legs
- Trunk (chest and abdomen)

Types of rhabdomyosarcoma

There are 2 main types of RMS, along with some less common types.

Embryonal rhabdomyosarcoma (ERMS)

ERMS usually affects children in their first 5 years of life, but it can occur at older ages

as well.

ERMS tends to occur in the head and neck area, bladder, vagina, or in or around the prostate and testicles.

Two subtypes of ERMS, **botryoid** and **spindle cell** rhabdomyosarcomas, tend to have a better prognosis (outlook) than the more common conventional form of ERMS.

Alveolar rhabdomyosarcoma (ARMS)

ARMS typically affects all age groups equally. It makes up a larger portion of RMS in older children, teens, and adults than in younger children (because ERMS is less common at older ages).

ARMS most often occurs in large muscles of the trunk, arms, and legs.

ARMS tends to grow faster than ERMS, and it usually requires more intense treatment. However, in some cases of ARMS, the cancer cells lack certain [gene changes](#)³, which makes these cancers act more like ERMS (and allows doctors to give less intense treatment).

Anaplastic rhabdomyosarcoma and undifferentiated sarcoma

Anaplastic rhabdomyosarcoma (also called *pleomorphic rhabdomyosarcoma*) is an uncommon type that occurs mainly in adults and is very rare in children.

Some doctors also group **undifferentiated sarcomas** with the rhabdomyosarcomas. Using lab tests, doctors can tell that these cancers are sarcomas, but the cells don't have any features that help classify them further.

Both of these uncommon cancers tend to grow quickly and usually require intensive treatment.

Rhabdomyosarcoma in adults

Most rhabdomyosarcomas develop in children and teens, but they can also occur in adults. Adults are more likely to have faster-growing types of RMS and to have them in parts of the body that are harder to treat. Because of this, RMS in adults is often harder to treat effectively.

Hyperlinks

1. www.cancer.org/cancer/understanding-cancer/what-is-cancer.html
2. www.cancer.org/cancer/types/cancer-in-children.html
3. www.cancer.org/cancer/types/rhabdomyosarcoma/causes-risks-prevention/what-causes.html

References

National Cancer Institute. Childhood Rhabdomyosarcoma Treatment (PDQ®). 2018. Accessed at www.cancer.gov/types/soft-tissue-sarcoma/hp/rhabdomyosarcoma-treatment-pdq on May 21, 2018.

Okcu MF, Hicks J. Rhabdomyosarcoma in childhood and adolescence: Epidemiology, pathology, and molecular pathogenesis. UpToDate. Accessed at www.uptodate.com/contents/rhabdomyosarcoma-in-childhood-and-adolescence-epidemiology-pathology-and-molecular-pathogenesis on May 21, 2018.

Wexler LH, Skapek SX, Helman LJ. Chapter 31: Rhabdomyosarcoma. In: Pizzo PA, Poplack DG, eds. *Principles and Practice of Pediatric Oncology*. 7th ed. Philadelphia, Pa: Lippincott Williams & Wilkins; 2016.

Last Revised: July 16, 2018

Key Statistics for Rhabdomyosarcoma

About 400 to 500 new cases of rhabdomyosarcoma (RMS) occur each year in the United States. The number of new cases has not changed much over the past few decades.

Most rhabdomyosarcomas are diagnosed in children and teens, with more than half of them in children younger than 10 years old.

About 3% of all childhood cancers are RMS. These tumors are usually embryonal rhabdomyosarcomas (ERMS) and tend to develop in the head and neck area or in the

genital and urinary tracts. Alveolar rhabdomyosarcoma (ARMS) affects all age groups and is found more often in the arms, legs, or trunk (chest or abdomen).

RMS is slightly more common in boys than in girls. No particular race or ethnic group seems to have an unusually high rate of RMS.

The prognosis (outlook) for people with RMS depends on many factors, including the

Other ways to give radiation are also being studied. For example, in **stereotactic body radiation therapy (SBRT)**, a special machine aims very thin beams of radiation at the tumor from many different angles, concentrating it on the tumor very precisely for short periods of time.

Proton beam radiation is another newer approach. Standard radiation beams give off the same amount of radiation at all points as they pass through the body. Proton beam radiation uses radioactive particles that travel only a certain distance before releasing most of their energy. Doctors can use this property to limit the radiation reaching normal body tissues. This approach seems promising, but it's not yet clear if it's better than other newer forms of radiation therapy. It's also available in only a limited number of centers around the country at this time.

Doctors are also studying adding **newer chemotherapy drugs** such as irinotecan and temozolomide to the standard [chemotherapy](#)³ regimens for patients who have a higher risk of the tumor recurring.

For patients at a high risk of tumor recurrence, doctors have looked at giving chemotherapy more frequently (such as giving it every 2 weeks instead of every 3 weeks). This concept is called **interval compression**. But so far, it's not clear whether this works better than giving it at standard intervals.

Newer targeted drugs and immunotherapy

[Drugs that target specific parts of cancer cells](#)⁴ (as opposed to just attacking fast-growing cells, as chemotherapy drugs do) are now being studied for use in RMS. Some of these drugs are already being used to treat certain adult cancers. Examples of newer targeted drugs being studied for use against RMS include:

- IGF-1R inhibitors, such as cixutumumab (IMC-1A2) and ganitumab (AMG479)
Drugs that affect a tumor's ability to make new blood vessels, such as bevacizumab

Last Revised: July 16, 2018

Written by

The American Cancer Society medical and editorial content team
(<https://www.cancer.org/cancer/acs-medical-content-and-news-staff.html>)

Our team is made up of doctors and oncology certified nurses with deep knowledge of cancer care as well as journalists, editors, and translators with extensive experience in medical writing.

American Cancer Society medical information is copyrighted material. For reprint requests, please see our Content Usage Policy (www.cancer.org/about-us/policies/content-usage.html).

cancer.org | 1.800.227.2345