



atención médica y el paciente esté completamente despierto.

Llame al equipo de atención médica

- Una vez que la convulsión ha terminado y el paciente se siente cómodo
- Si alguien más está con usted, quédese con el paciente y pida a la otra persona que haga la llamada.

Hyperlinks

1. <mailto:permissionrequest@cancer.org>

Escrito por

Equipo de redactores y equipo de editores médicos de la Sociedad Americana Contra El Cáncer (www.cancer.org/cancer/acs-medical-content-and-news-staff.html)

Nuestro equipo está compuesto de médicos y enfermeras con postgrados y amplios conocimientos sobre el cáncer, al igual que de periodistas, editores y traductores con amplia experiencia en contenidos médicos.

Referencias

Fauci AS, Braunwald E, Kasper DL, et al (Eds). *Harrison's Principles of Internal Medicine*, 17th ed. New York: McGraw-Hill Medical, 2008.

Camp-Sorrell D, Hawkins RA. *Clinical Manual for the Oncology Advanced Practice Nurse*, Second Ed. Pittsburgh: Oncology Nursing Society, 2006.

Cope DG, Reb AM. *An Evidence-Based Approach to the Treatment and Care of the Older Adult with Cancer*. Pittsburgh: Oncology Nursing Society, 2006.

Houts PS, Bucher JA. *Caregiving*, Revised ed. Atlanta: American Cancer Society, 2003.

Kaplan M. *Understanding and Managing Oncologic Emergencies: A Resource for Nurses*. Pittsburgh: Oncology Nursing Society, 2006.

Kuebler KK, Berry PH, Heidrich DE