

	2006 Estimate Cases	5 Year Survival	2005 Estimate Cases	Estimated 1-5 Year Survivors
	24,390	66.1%	24,320	82,010
	2,010	66.1%	1,930	8,280
	25,450	66.1%	23,880	91,460
	15,220	66.1%	14,950	52,380
	138,680	66.1%	135,030	521,240
	16,850	66.1%	16,080	65,050
	17,320	66.1%	16,920	66,790
	4,190	66.1%	3,800	15,510
	2,680	66.1%	2,820	9,340
	98,960	66.1%	96,200	358,780
	36,650	66.1%	35,650	130,510
	5,600	66.1%	4,790	20,740
	5,900	66.1%	5,490	21,890
	60,220	66.1%	59,730	214,070
	32,710	66.1%	31,900	110,120
	16,310	66.1%	15,910	57,900
	13,210	66.1%	12,930	45,700
	23,690	66.1%	23,020	82,900
	23,890	66.1%	23,280	81,560
	7,910	66.1%	7,750	29,240
	25,870	66.1%	25,450	93,450
	33,310	66.1%	33,030	121,980
	48,250	66.1%	50,220	182,810
	23,520	66.1%	22,890	84,090
	15,120	66.1%	14,970	49,620
	31,050	66.1%	30,210	106,720
	4,780	66.1%	4,910	17,790
	8,450	66.1%	8,330	30,520
	11,600	66.1%	11,120	40,550
	6,470	66.1%	6,310	24,600
	43,910	66.1%	43,000	163,370

Year	2008		3 Year		2007		4 Year		2006		5 Year		2005		Estimated	
	Estimate	Cases	Survival	Estimate	Estimate	Cases	Survival	Estimate	Cases	Estimate	Cases	Survival	Estimate	Cases	Estimate	Survivors
5%	8,260		69.4%	8,030		67.4%	8,150		66.1%	7,780		66.1%	7,780		29,160	
5%	97,130		69.4%	100,960		67.4%	88,230		66.1%	87,050		66.1%	87,050		337,620	
5%	40,420		69.4%	38,210		67.4%	40,890		66.1%	40,520		66.1%	40,520		143,520	
5%	3,090		69.4%	3,340		67.4%	3,170		66.1%	3,080		66.1%	3,080		11,260	
5%	56,840		69.4%	59,220		67.4%	61,310		66.1%	59,680		66.1%	59,680		212,330	
5%	17,860		69.4%	17,170		67.4%	18,640		66.1%	18,460		66.1%	18,460		63,920	
5%	19,230		69.4%	18,630		67.4%	18,290		66.1%	17,720		66.1%	17,720		66,070	
5%	70,110		69.4%	75,130		67.4%	73,630		66.1%	71,840		66.1%	71,840		258,600	
5%	6,120		69.4%	6,360		67.4%	5,900		66.1%	5,870		66.1%	5,870		21,640	
5%	20,740		69.4%	21,370		67.4%	22,530		66.1%	21,860		66.1%	21,860		76,940	
5%	4,080		69.4%	3,990		67.4%	4,060		66.1%	3,900		66.1%	3,900		14,290	
5%	29,390		69.4%	28,440		67.4%	32,140		66.1%	31,080		66.1%	31,080		108,950	
5%	96,320		69.4%	91,020		67.4%	85,570		66.1%	86,880		66.1%	86,880		325,580	
5%	7,760		69.4%	7,660		67.4%	6,620		66.1%	6,380		66.1%	6,380		26,630	
5%	3,530		69.4%	3,500		67.4%	2,970		66.1%	3,030		66.1%	3,030		11,790	
5%	35,590		69.4%	35,090		67.4%	34,990		66.1%	33,680		66.1%	33,680		122,950	
5%	32,380		69.4%	31,080		67.4%	28,350		66.1%	27,350		66.1%	27,350		107,710	
5%	10,250		69.4%	10,490		67.4%	11,280		66.1%	11,190		66.1%	11,190		37,780	
5%	27,590		69.4%	28,130		67.4%	26,390		66.1%	26,340		66.1%	26,340		96,470	
5%	2,570		69.4%	2,340		67.4%	2,500		66.1%	2,380		66.1%	2,380		8,720	

states and is based on cases diagnosed in SEER 17 areas during 1999-2005, followed through Dec 2006. Do not include 2010 cases because survival is defined here as those surviving at least 1 year; the number of 7 estimated cases multiplied by 3 year survival rate, 2008 estimated cases multiplied by 2 year survival by 1 year survival rate.

2006 Estimated Cases	5 Year Survival	2005 Estimate Cases	Estimated 1-5 Year Survivors
8,150	56.0%	7,780	26,630
88,230	56.0%	87,050	308,520
40,890	56.0%	40,520	130,880
3,170	56.0%	3,080	10,260
61,310	56.0%	59,680	193,550
18,640	56.0%	18,460	58,220
18,290	56.0%	17,720	60,300
73,630	56.0%	71,840	235,710
5,900	56.0%	5,870	19,740
22,530	56.0%	21,860	70,100
4,060	56.0%	3,900	13,040
32,140	56.0%	31,080	99,310
85,570	56.0%	86,880	297,470
6,620	56.0%	6,380	24,400
2,970	56.0%	3,030	10,780
34,990	56.0%	33,680	112,080
28,350	56.0%	27,350	98,460
11,280	56.0%	11,190	34,370
26,390	56.0%	26,340	87,990
2,500	56.0%	2,380	7,950

In SEER 17 areas during 1999-2005, followed through Dec 2006. It is defined here as those surviving at least 1 year; the number of cases multiplied by 5-year survival rate, 2006 estimated cases survival rate, 2008 estimated cases multiplied by 2 year survival